

STATE OF SOUTH CAROLINA
DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL

Regulation 61-63

RADIOACTIVE MATERIALS

(TITLE A)

PROMULGATED PURSUANT TO
SECTION 13-7-40 et. seq.
OF THE 1976 S.C. CODE (as amended)
THE ATOMIC ENERGY AND
RADIATION CONTROL ACT

March 2010 Edition
(Revisions approved by the
South Carolina Board of Health
and Environmental Control on
March 11, 2010, and printed
in the March 26, 2010, Edition of The State Register).

TITLE A
STATE OF SOUTH CAROLINA
DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
REGULATION 61-63
RADIOACTIVE MATERIALS
TABLE OF CONTENTS
PART I - General Provisions

RHA	1.1	Scope.....	1
	1.2	Definitions.....	1
	1.3	Units of Radiation Dose	4
	1.4	Units of Radioactivity	5
	1.5	Records.....	6
	1.6	Inspections.....	6
	1.7	Tests and Surveys	6
	1.8	Impounding	6
	1.9	Exemptions from Licensing	6
	1.10	Exemptions from Requirements of these Regulations	7
	1.11	Additional Requirements.....	7
	1.12	Violations	7
	1.13	Communications	8
	1.14	Fees.....	8
	1.15	Financial Assurances and Recordkeeping for Decommissioning	8
	1.16	Schedule of Civil Penalties and Severity Categories	12

Table of Contents Continued

1.17 Appendix A. Criteria Relating to Use of Financial Tests and Parent Company
Guarantees for Providing Reasonable Assurance of Funds for Decommissioning.....17

1.18 Appendix B. Criteria Relating to Use of Financial Tests and Self
Guarantees for Providing Reasonable Assurance of Funds for Decommissioning.....19

PART II - Licensing of Radioactive Materials

RHA 2.1 Purpose and Scope.....1

2.2 Types of Licenses 1

2.3 General Licenses - Source Material 2

2.4 General Licenses - Radioactive Material Other Than Source Material 3

2.5 Filing of Application for the Specific Licenses 14

2.6 General Requirements for the Issuance of Specific Licenses..... 14

2.7 Special Requirements for Issuance of Certain Specific Licenses for
Radioactive Materials..... 15

2.8 Special Requirements for Specific Licenses of Broad Scope..... 24

2.9 Issuance of Specific Licenses 27

2.10 Specific Terms and Conditions of Licenses 27

2.11 Expiration and Termination of Licenses and Decommissioning
of Sites and Separate Buildings or Outdoor Areas 28

2.12 Renewal of Specific Licenses..... 32

2.13 Amendment of Licenses at Request of Licensee 32

2.14 Department Action on Applications to Renew or Amend..... 32

2.15 Inalienability of Licenses 32

2.16 Persons Possessing a License for Source, By-Product, or Special Nuclear
Material in Quantities Not Sufficient to Form a Critical Mass on Effective
Date of These Regulations 32

Table of Contents Continued

2.17 Persons Possessing Radioactive Material Other Than Agreement Material on Effective Date of These Regulations	33
2.18 Transfer of Material	33
2.19 Modification, Revocation, and Termination of Licenses	34
2.20 Exemptions	34
2.21 Reciprocal Recognition of Licenses	40
2.22 Transportation of Radioactive Material	42
2.23 Schedule A. Generally Licensed Equipment When Manufactured in Accordance with the Specifications Contained in a Specific License	42
2.24 Schedule B. Exempt Quantities	43
2.25 Schedule C. Exempt Concentrations.....	46
2.26 Schedule D. Broad Licensed Quantities.....	52
2.27 Requirements for License to Manufacture and Distribute Industrial Products Containing Depleted Uranium for Mass-Volume Applications	58
2.28 Requirements for Specific License to Manufacture, Assemble, Repair of Distribute Commodities, Products or Devices which Contain Naturally Occurring or Accelerator-Produced Radioactive Material (NARM)	59
2.29 Registration of Sealed Sources and Devices Containing Sealed Sources	61
2.30 Emergency Plan for Large Quantity Users.....	62
2.31 Schedule E. Quantities of Radioactive Materials Requiring Consideration of the Need For An Emergency Plan for Responding to a Release.....	65
2.32 Reporting Requirements.....	67

Table of Contents Continued

PART III - Standards for Protection Against Radiation

RHA 3.1 Purpose and Scope 1

3.2 Definitions 1

3.3 Units of Radiation Dose 10

3.4 Radiation Protection Programs 11

3.5 Occupational Dose Limits for Adults 12

3.6 Compliance With Requirements for Summation of External and
Internal Doses 12

3.7 Determination of External Dose From Airborne Radioactive Material 13

3.8 Determination of Internal Exposure 14

3.9 [Reserved] 15

3.10 Planned Special Exposures 15

3.11 Occupational Dose Limits for Minors 16

3.12 Dose to an Embryo/Fetus 16

3.13 Dose Limits for Individual Members of the Public 16

3.14 Compliance With Dose Limits for Individual Members of the Public 17

3.15 [Reserved] 18

3.16 Surveys and Monitoring 18

3.17 Conditions Requiring Individual Monitoring of External and
Internal Occupational Dose 19

3.18 Control of Exposure From External Sources in Restricted Areas 19

3.19 Respiratory Protection and Controls to Restrict Internal Exposure
in Restricted Areas 20

3.20 Storage and Control of Licensed Material 23

Table of Contents Continued

3.21 Caution Signs.....	23
3.22 Posting Requirements	24
3.23 Exceptions to Posting Requirements.....	24
3.24 Labeling Containers.....	25
3.25 Exemptions to Labeling Requirements	25
3.26 Procedures for Receiving and Opening Packages.....	26
3.27 Waste Disposal - General Requirements.....	27
3.28 Method for Obtaining Approval of Proposed Disposal Procedures.....	27
3.29 Disposal By Release Into Sanitary Sewerage.....	27
3.30 Treatment or Disposal By Incineration	28
3.31 Disposal of Specific Wastes	28
3.32 Transfer for Disposal and Manifests	28
3.33 Compliance with Environmental and Health Protection Regulations.....	29
3.34 Records - General Provisions	29
3.35 Records of Radiation Protection Programs	30
3.36 Records of Surveys	30
3.37 Determination of Prior Occupational Dose	30
3.38 Records of Planned Special Exposures	32
3.39 Records of Individual Monitoring Results	32
3.40 Records of Dose to Individual Members of the Public	33
3.41 Records of Waste Disposal.....	33
3.42 Vacating Premises.....	33
3.43 Form of Records	33

Table of Contents Continued

3.44 Reports of Theft or Loss of Licensed Material..... 34

3.45 Notification of Incidents..... 34

3.46 Reports of Exposures, Radiation Levels, and Concentrations of
Radioactive Material Exceeding the Limits..... 35

3.47 Reports of Planned Special Exposures..... 37

3.48 Reports to Individuals of Exceeding Dose Limits 37

3.49 Reports of Individual Monitoring 37

3.50 Applications for Exemptions 38

3.51 Additional Requirements..... 38

3.52 Appendix A. Protection Factors for Respirators..... 39

3.53 Appendix B. Annual limits on Intake (ALIs) and Derived Air
Concentrations (DACs) of Radionuclides for Occupational
Exposure; Effluent Concentrations; Concentrations for
Release to Sewerage..... 41

3.54 Appendix C. Quantities of Licensed Material Requiring Labeling 120

3.55 Appendix D. Requirements for Low-Level Waste Transfer for
Disposal at Land Disposal Facilities and Manifests..... 138

3.56 Appendix E. Classification and Characteristics of Low-Level
Radioactive Waste..... 145

3.57 Appendix F. Radiological Criteria for License Termination..... 150

3.58 Appendix G. Nationally Tracked Sources – Serialization and Reports of Transactions..... 154

PART IV – Medical Use of Radioactive Material

Subpart A--General Information

RHA 4.1 Purpose and Scope..... 1

4.2 Definitions..... 1

4.3 Maintenance of records..... 5

4.4 Provisions for the protection of human research subjects.....5

Table of Contents Continued

4.5 FDA, other Federal, and State requirements 6

4.6 License required..... 6

4.7 Application for license, amendment, or renewal 6

4.8 License amendments..... 7

4.9 Notifications..... 8

4.10 Exemptions regarding Type A specific licenses of broad scope..... 9

4.11 License issuance..... 9

4.12 Specific exemptions 10

Subpart B--General Administrative Requirements

RHA 4.13 Authority and responsibilities for the radiation protection program..... 10

4.14 Radiation protection program changes..... 11

4.15 Supervision..... 11

4.16 (Reserved) 12

4.17 Written directives..... 12

4.18 Procedures for administrations requiring a written directive..... 13

4.19 Suppliers for sealed sources or devices for medical use..... 13

4.20 Training for Radiation Safety Officer..... 14

4.21 Training for an authorized medical physicist..... 16

4.22 Training for an authorized nuclear pharmacist..... 17

4.23 Training for experienced Radiation Safety Officer, teletherapy or medical
physicist, authorized user, and nuclear pharmacist..... 18

4.24 Recentness of training..... 19

Subpart C--General Technical Requirements

Table of Contents Continued

RHA 4.25 Possession, use, and calibration of instruments used to measure the activity of unsealed radioactive material.....19

4.26 Calibration of survey instruments.....19

4.27 Determination of dosages of unsealed radioactive material for medical use..... 19

4.28 Authorization for calibration, transmission, and reference sources..... 20

4.29 Requirements for possession of sealed sources and brachytherapy sources..... 20

4.30 Labeling of vials and syringes..... 21

4.31 Surveys of ambient radiation exposure rate..... 21

4.32 Release of individuals containing unsealed radioactive material or implants containing radioactive material..... 22

4.33 Provision of mobile medical service..... 22

4.34 Decay-in-storage..... 23

Subpart D--Unsealed Radioactive Material--Written Directive Not Required

RHA 4.35 Use of unsealed radioactive material for uptake, dilution, and excretion studies for which a written directive is not required..... 23

4.36 Training for uptake, dilution, and excretion studies..... 24

4.37 Use of unsealed radioactive material for imaging and localization studies for which a written directive is not required..... 25

4.38 Permissible molybdenum-99 concentration..... 25

4.39 Training for imaging and localization studies..... 25

Subpart E--Unsealed Radioactive Material--Written Directive Required

RHA 4.40 Use of unsealed radioactive material for which a written directive is required..... 27

4.41 Safety instruction..... 27

4.42 Safety precautions..... 28

4.43 Training for use of unsealed radioactive material for which a written directive is required.....	28
---	----

Table of Contents Continued

4.44 Training for the oral administration of sodium iodide I-131 requiring a written directive in quantities less than or equal to 1.22 gigabecquerels (33 millicuries).....	31
4.45 Training for the oral administration of sodium iodide I-131 requiring a written directive in quantities greater than 1.22 gigabecquerels (33 millicuries).....	33

Subpart F--Manual Brachytherapy

RHA 4.46 Use of sources for manual brachytherapy.....	34
4.47 Surveys after source implant and removal.....	34
4.48 Brachytherapy sources accountability.....	34
4.49 Safety instruction.....	35
4.50 Safety precautions.....	35
4.51 Calibration measurements of brachytherapy sources.....	36
4.52 Decay of strontium-90 sources for ophthalmic treatments.....	36
4.53 Therapy-related computer systems.....	36
4.54 Training for use of manual brachytherapy sources.....	36
4.55 Training for ophthalmic use of strontium-90.....	38

Subpart G--Sealed Sources for Diagnosis

RHA 4.56 Use of sealed sources for diagnosis.....	39
4.57 Training for use of sealed sources for diagnosis.....	39

Subpart H--Photon Emitting Remote Afterloader Units, Teletherapy Units, and Gamma Stereotactic Radiosurgery Units

RHA 4.58 Use of a sealed source in a remote afterloader unit, teletherapy unit, or gamma stereotactic radiosurgery unit.....	39
4.59 Surveys of patients and human research subjects treated with a remote afterloader unit.....	39
4.60 Installation, maintenance, adjustment, and repair.....	40

4.61 Safety procedures and instructions for remote afterloader units, teletherapy units, and gamma stereotactic radiosurgery units.....	40
---	----

Table of Contents Continued

4.62 Safety precautions for remote afterloader units, teletherapy units, and gamma stereotactic radiosurgery units.....	41
4.63 Dosimetry equipment.....	42
4.64 Full calibration measurements on teletherapy units.....	43
4.65 Full calibration measurements on remote afterloader units.....	44
4.66 Full calibration measurements on gamma stereotactic radiosurgery units.....	45
4.67 Periodic spot-checks for teletherapy units.....	46
4.68 Periodic spot-checks for remote afterloader units.....	48
4.69 Periodic spot-checks for gamma stereotactic radiosurgery units.....	49
4.70 Additional technical requirements for mobile remote afterloader units.....	50
4.71 Radiation surveys.....	51
4.72 Five-year inspection for teletherapy and gamma stereotactic radiosurgery units.....	51
4.73 Therapy-related computer systems.....	51
4.74 Training for use of remote afterloader units, teletherapy units, and gamma stereotactic radiosurgery units.....	52

Subpart I—(Reserved)

Subpart J—(Reserved)

Subpart K--Other Medical Uses of Radioactive Material or Radiation from Radioactive Material

RHA 4.88 Other medical uses of radioactive material or radiation from radioactive material.....	54
--	----

Subpart L--Records

RHA 4.89 Records of authority and responsibilities for radiation protection programs.....	54
4.90 Records of radiation protection program changes.....	54
4.91 Records of written directives.....	54

4.92 Records for procedures for administrations requiring a written directive.....	54
--	----

Table of Contents Continued

4.93 Records of calibrations of instruments used to measure the activity of unsealed radioactive materials.....	54
4.94 Records of radiation survey instrument calibrations.....	55
4.95 Records of dosages of unsealed radioactive material for medical use.....	55
4.96 Records of leaks tests and inventory of sealed sources and brachytherapy sources.....	55
4.97 Records of surveys for ambient radiation exposure rate.....	55
4.98 Records of the release of individuals containing unsealed radioactive material or implants containing radioactive material.....	56
4.99 Records of mobile medical services.....	56
4.100 Records of decay-in-storage.....	56
4.101 Records of molybdenum-99 concentrations.....	56
4.102 Records of safety instruction.....	57
4.103 Records of surveys after source implant and removal.....	57
4.104 Records of brachytherapy source accountability.....	57
4.105 Records of calibration measurements of brachytherapy sources.....	57
4.106 Records of decay of strontium-90 sources for ophthalmic treatments.....	58
4.107 Records of installation, maintenance, adjustment, and repair of remote afterloader units, teletherapy units and gamma stereotactic radiosurgery units.....	58
4.108 Records of safety procedures.....	58
4.109 Records of dosimetry equipment used with remote afterloader units, teletherapy units, and gamma stereotactic radiosurgery units.....	58
4.110 Records of teletherapy, remote afterloader, and gamma stereotactic radiosurgery full calibrations.....	59
4.111 Records of periodic spot-checks for teletherapy units.....	59
4.112 Records of periodic spot-checks for remote afterloader units.....	60

4.113 Records of periodic spot-checks for gamma stereotactic radiosurgery units.....	60
--	----

Table of Contents Continued

4.114 Records of additional technical requirements for mobile remote afterloader units.....	61
---	----

4.115 Records of surveys of therapeutic treatment units.....	61
--	----

4.116 Records of 5-year inspection for teletherapy and gamma stereotactic radiosurgery units.....	62
--	----

Subpart M--Reports

RHA 4.117 Report and notification of a medical event.....	62
--	----

4.118 Report and notification of a dose to an embryo/fetus or a nursing child.....	64
--	----

4.119 Report of a leaking source.....	65
---------------------------------------	----

PART V - Special Requirements for Industrial Radiographic Operations

RHA 5.1 Purpose.....	1
-----------------------------	---

5.2 Scope.....	1
----------------	---

5.3 Definitions.....	1
----------------------	---

5.4 Issuance of Specific Licenses for Use of Sealed Sources in Radiography.....	4
--	---

5.5 Limits on External Radiation Levels from Storage Containers and Source changers.....	5
---	---

5.6 Performance and locking Requirements for Radiography Equipment.....	5
---	---

5.7 Labeling, Storage, and Transportation.....	7
--	---

5.8 Radiation Survey Instruments.....	7
---------------------------------------	---

5.9 Leak Testing, Repair, Tagging, Opening, Modification and Replacement of Sealed Sources.....	8
--	---

5.10 Quarterly Inventory.....	9
-------------------------------	---

5.11 Utilization Logs.....	9
----------------------------	---

5.12 Training.....	10
--------------------	----

5.13 Operating and Emergency Procedures	12
---	----

Table of Contents Continued

5.14 Personnel Monitoring Control	13
5.15 Surveillance	15
5.16 Posting	15
5.17 Radiation Surveys and Survey Records	15
5.18 Supervision of Radiographer's Assistant	15
5.19 Inspection and Maintenance of Radiographic Exposure Devices and Storage Containers, Associated Equipment, Source Changers and Survey Instruments.....	16
5.20 Permanent Radiographic Installation	16
5.21 Conducting Industrial Radiographic Operations	17
5.22 Radiation Safety Officer for Industrial Radiography	17
5.23 Form of Records.....	18
5.24 Location of Documents and Records.....	18
5.25 Reporting Requirements.....	19
5.26 Appendix A. Radiographer Certification.....	20

PART VI - Notices, Instructions, and Reports to Workers; Inspections

RHA 6.1 Purpose and Scope	1
6.2 Definitions	1
6.3 Posting of Notices to Workers.....	1
6.4 Instructions to Workers	1
6.5 Notification and Reports to Individuals	2
6.6 Presence of Representatives of Licensees and Workers During Inspections	3
6.7 Consultation with Workers During Inspections.....	4

6.8	Requests by Workers for Inspections.....	4
6.9	Inspections Not Warranted; Informal Review	4
Table of Contents Continued		
6.10	Employee Protection.....	5
6.11	Discrimination Prohibited	5

PART VII - Licensing Requirements for Land Disposal of Radioactive Waste

RHA	7.1 Purpose and Scope	1
	7.2 Definitions.....	1
	7.3 License Required	3
	7.4 Content of Application.....	3
	7.5 General Information.....	3
	7.6 Specific Technical Information	4
	7.7 Technical Analysis.....	5
	7.8 Institutional Information	6
	7.9 Financial Information.....	6
	7.10 Requirements for Issuance of a License.....	6
	7.11 Conditions of Licenses	7
	7.12 Application for Renewal or Closure	9
	7.13 Contents of Application for Site Closure and Stabilization	9
	7.14 Postclosure Observation and Maintenance.....	10
	7.15 Transfer of License	10
	7.16 Termination of License	10
	7.17 General Requirements.....	11
	7.18 Protection of the General Population from Releases of Radioactivity.....	11
	7.19 Protection of Individuals from Inadvertent Intrusion.....	11

7.20 Protection of Individuals During Operations.....	11
7.21 Stability of the Disposal Site After Closure	11
Table of Contents Continued	
7.22 Disposal Site Suitability Requirements for Land Disposal	11
7.23 Disposal Site Design for Near-Surface Disposal	12
7.24 Near-Surface Disposal Facility Operation and Disposal Site Closure	13
7.25 Environmental Monitoring.....	14
7.26 Alternative Requirements for Design and Operations	14
7.27 Institutional Requirements	14
7.28 Alternative Requirements for Waste Classification and Characteristics.....	15
7.29 Applicant Qualifications and Assurances.....	15
7.30 Funding for Disposal Site Closure and Stabilization	15
7.31 Financial Assurances for Institutional Controls.....	16
7.32 Maintenance of Records, Reports and Transfers	16
7.33 Tests on Land Disposal Facilities	18
7.34 Department Inspections of Land Disposal Facilities	18

PART VIII - Special Requirements for Well Logging Operations

RHA 8.1 Purpose.....	1
8.2 Scope.....	1
8.3 Definitions.....	1
8.4 Specific Licenses for Well Logging.....	2
8.5 Agreement with Well Owner or Operator	3
8.6 Labeling of Well Logging Devices.....	4
8.7 Storage of Well Logging Devices.....	5
8.8 Transportation of Well Logging Devices.....	5

8.9 Radiation Survey Instruments	5
8.10 Leak Testing of Sealed Sources.....	6
Table of Contents Continued	
8.11 Physical Inventory	7
8.12 Utilization Logs	7
8.13 Criteria for Sealed Source Design and Integrity.....	7
8.14 Inspection, Maintenance, and Opening of Source or Source Holder.....	8
8.15 Subsurface Tracer Studies.....	9
8.16 Radioactive Markers	9
8.17 Uranium Sinkers Bars.....	9
8.18 Use of Sealed Sources in a Well Without Surface Casings.....	10
8.19 Training Requirements for Well Logging Personnel	10
8.20 Operating and Emergency Procedures	11
8.21 Personnel Monitoring.....	12
8.22 Radiation Surveys.....	13
8.23 Contamination Control.....	13
8.24 Surveillance of Operations	13
8.25 Documents and Records Required at Field Stations.....	14
8.26 Documents and Records Required at Temporary Jobsites	14
8.27 Notification of Incidents and Lost Sources; Abandonment Procedures for Irretrievable Sources.....	15

PART IX - Licensing of Naturally Occurring Radioactive Material(NORM)

RHA 9.1 Purpose and Scope	1
9.2 Definitions.....	1
9.3 Exemptions.....	1
9.4 Radiation Survey Instruments	2

9.5	General License	2
-----	-----------------------	---

Table of Contents Continued

9.6	Transfer of Waste for Disposal	3
9.7	Specific License	4
9.8	Appendix A: Table of Allowable Organ Doses, Total Effective Dose Equivalents(TEDE)	6

PART X - Licensing Requirements for Interim Storage of Radioactive Waste

RHA	10.1	Purpose and Scope.....	1
	10.2	Definitions	1
	10.3	License Required.....	2
	10.4	Content of Application	2
	10.5	General Information	2
	10.6	Specific Technical Information.....	3
	10.7	Technical Analysis	5
	10.8	Financial Information	5
	10.9	Requirements for Issuance of a License	5
	10.10	Conditions of Licenses	6
	10.11	Application for Renewal of Termination.....	6
	10.12	Contents of Application for Termination of the License	7
	10.13	Protection of Individuals During Operations	7
	10.14	Environmental Monitoring.....	7
	10.15	Applicant Qualifications and Assurances	8
	10.16	Institutional Requirements.....	8
	10.17	Maintenance of Records and Reports.....	9
	10.18	Tests on Storage Facilities	10

10.19 Department Inspections of Storage Facilities 10

Table of Contents Continued

PART XI - Licensing and Radiation Safety Requirements for Irradiators

RHA 11.1 Purpose and Scope..... 1

11.2 Definitions 1

11.3 Specific Licenses for Irradiators 2

11.4 Reserved 3

11.5 Applications for Exemptions 3

11.6 Request for Written Statements..... 3

11.7 Performance Criteria for Sealed Sources..... 4

11.8 Access Control 4

11.9 Shielding..... 6

11.10 Fire Protection..... 6

11.11 Radiation Monitors..... 6

11.12 Control of Source Movement..... 6

11.13 Irradiator Pools..... 7

11.14 Source Rack Protection..... 7

11.15 Power Failures..... 7

11.16 Design Requirements..... 8

11.17 Construction Monitoring and Acceptance Testing..... 9

11.18 Training 10

11.19 Operating and Emergency Procedures..... 11

11.20 Personnel Monitoring 12

11.21 Radiation Surveys 13

11.22	Detection of Leaking Sources	13
11.23	Inspection and Maintenance.....	14
Table of Contents Continued		
11.24	Pool Water Purity.....	15
11.25	Attendance During Operation	15
11.26	Entering and Leaving the Radiation Room.....	16
11.27	Irradiation of Explosives or Flammable Materials.....	16
11.28	Records and Retention Records	16
11.29	Reports.....	17